

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office NEW PRIORITY DATE:
~~OCT-02-2000~~ SEP 26 2002

Returned to applicant for correction _____

Corrected application filed _____

Map filed AUG 29 2000 under 66653

The applicant **Thomas Lloyd and Sandra W. Lloyd**, hereby make application for permission to change the **Point of Diversion of Apportion of**, of water heretofore appropriated under **20351 Cerf 5474**

1. The source of water is **underground**
2. The amount of water to be changed **0.418 CFS 92 acre ft.**
3. The water to be used for **Irrigation/Domestic**
4. The water heretofore permitted for **Irrigation/Domestic**
5. The water is to be diverted at the following point **To be diverted from SE¼ SW¼ Section 10 T11N R23E MDB&M or at a point from which NW corner of said Section 10 bears N 15° 47' 05" W 5250.34 feet.**
6. The existing permitted point of diversion is located within **SW¼ NE¼ Sec 10 T11N R23E, MDB&M or at a point from which the W ¼ corner of said Sec 10 bears S 72° 59' 12" W 2,753.89 feet**
7. Proposed place of use **A portion of SW¼ SE¼ Sec 10 T11N R.23E MDB&M 23 acre and a portion of the S½ of SW of said Sec 10**
8. Existing place of use **Same as proposed**
9. Use will be from **1/1 to 12/31** of each year.
10. Use was permitted from **1/1 to 12/31** of each year.
11. Description of proposed works **well pump pond wheel line**
12. Estimated cost of works **40000⁰⁰**
13. Estimated time required to construct works **1 year + 6 mo.**
14. Estimated time required to complete the application of water to beneficial use **2 years**
15. Remarks: **Use map on file under Permit 23521 for existing POD, POU Use map submitted for App 66653 for proposed POD, POU.**

By **s/Thomas Lloyd**
Thomas Lloyd
P O BOX 240
Wellington NV. 89444

Compared my/cmf ds/cmf

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 20351, Certificate 5474 is issued subject to the terms and conditions imposed in said Permit 20351, Certificate 5474 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The issuance of Permit 66845 expires Permit 66731-T.

The total combined duty of water under Permits 66653 and 66845, and any waters of the Walker River Decree and any storage water appurtenant to the place of use shall not exceed 109.28 acre-feet per year for the irrigation of 27.32 acres. The permittee is responsible for insuring delivery of the entitled decreed and storage waters that are supplemental to Permits 66653 and 66845. In any year that the Walker River Irrigation District declares a full allocation of decreed waters to the priority years of C-125 claims supplemental to Permits 66653 and 66845, underground water shall not be pumped from the wells described in these permits. In any year that the Walker River Irrigation District has no decreed or storage water, or declares a reduced allocation of surface waters to the priority years of C-125 claims supplemental to Permits 66653 and 66845, then the place of use of the permits can be irrigated with underground water, but not to exceed duty of 4 acre-feet per acre per year from the total of decreed, storage, and underground waters.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.418 cubic feet per second, but not to exceed 92.0 acre-feet annually, and not to exceed a yearly duty of 4.0 acre-feet per acre of land irrigated from any and/or all sources.

Work must be prosecuted with reasonable diligence and be completed on or before:

April 26, 2002

Proof of completion of work shall be filed before:

May 26, 2002

Water must be placed to beneficial use on or before:

April 26, 2005

Proof of the application of water to beneficial use shall be filed on or before:

May 26, 2005

Map in support of proof of beneficial use shall be filed on or before:


May 26, 2005

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 26th day of, April A.D. 2001



State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

~~CANCELLED JUL 12 2002 BECAUSE OF FAILURE
OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

STATE ENGINEER
Can. Rescinded 10/31/02~~